HEADQUARTERS UNITED STATES ARMY MATERIEL COMMAND WASHINGTON, D.C. 20315

AMC REGULATION NUMBER 700-12* 1 July 1966

LOGISTICS

CODES

This regulation is published for the compliance of all concerned.

(AMCMS)

FOR THE COMMANDER:

SELWYN D. SMITH, JR. Major General, USA Chief of Staff

OFFICIAL:

Colonel, GS Chief, Administrative Office

DISTRIBUTION:

A and B

AMC Logistic Systems Support Center

aulecti

^{*}This regulation supersedes AMCR 700-12, 1 October 1963, including Changes 3 through 12.

HEADQUARTERS UNITED STATES ARMY MATERIEL COMMAND WASHINGTON, D.C. 20315

AMC REGULATION NUMBER 700-12

1 July 1966

LOGISTICS

CODES

| | Page | Ref | er to |
|--|-----------------------|----------|------------------|
| Purpose | 5 5 5 6 7 | | |
| Address exception codesAdvice codes | • | | 725-50 |
| Air cargo dimension codes | | AR AR | 55-10 55-10 |
| Area designations and mode criteria | • | AR | 55-10 |
| Area designations and mode criteria Army area and state codes | | AR | 725-50 |
| Army Field Stock Control System support codes Stockage list item supply codes | | AR | 711-25 |
| codesAction codes | | AR | 711-25. |
| Action codes | | AR | |
| Advice codes | | | 711-25 |
| Status codes | | AR | 711-25 |
| Commodity manager codes | | AR | 711-25 711-25 |
| Army type classification codes | | AR | 700-1 |
| Audit codes | 8 | ΛI | 100-1 |
| Bill of lading control number | 9 | | |
| Break-bulk point codes | • | AR | 55-10 |
| Carrier codes | 9 | • | |
| Challenge action codes | | AR | 55-10 |
| Change control codes | • | AR | 700-1 |
| Condition codes | | AR | 725-50 |
| Condition of shipment codes | | AR | 55-10 |
| Container control number codes Control numbers for roll-on/roll-off | | AR | 55-10 |
| vehicles | | AR | 55-10 |
| Correction codes | 10 | | |
| Date offered for shipment codes | 10 | | |
| Decision codes | 11 | | |
| Demand codes | | AR | 725-50 |
| Document identifier codes "A" series | | ΛD | 725-50 |
| "B" series | | | 725-50 |
| D 901709 | | пц | , 20-00 |

| • | Page | Refer to |
|--|-------------|--|
| "C" series "D" series "F" series | | AR 700-1 AR 725-50 AR 37-12 AR 725-50 AR's 55-10 and |
| | | 725-50 |
| "Z" series DOD standardization status codes Dunnage and lashing item identification codes | <i>33</i> , | AR 700-1 AR 55-10 |
| Echelon symbols Equipment category codes Equipment set/system codes | | AR 700-1 AR 700-1 AR 55-10 |
| ETA (estimated time of arrival) codes Expendability codes Federal cataloging activity codes | | AR 55-10 AR 700-1 AR 708-16 |
| FEDSTRIP agency codes Flight/voyage manifest reference codes Fund codes | | AR 725-50 AR 55-10 AR's 37-12 and 725-50 |
| Fund control codes Hour codes for air shipment Identification number codes (item | | AR 700-1 AR 55-10 |
| application file) | | AR 700-1 SMCR 742-331 SMCR 742-301 |
| Limitation codes Line designation codes Location category codes | 44 | AR 700-1 AR 37-12 SMCR 742-33 ¹ |
| Lot data change codes | 44 45 | AR 55-10 |
| MAP country codes MAP customer within country codes | | AR 725-50 AR 725-50 AR 725-50 |
| MAP type of assistance codes MAS freight forwarder codes MAS option codes Materiel condition codes | | AR 725-50 AR 725-50 AR 725-50 |
| Materiel category codes Media and status codes Media of communication codes | | AR 725-50 AR 37-12 AR 725-50 AR's 37-12 and |
| | | 755-1 |

¹See paragraph 4.

| | Page | Refer to |
|--|------|---|
| Method of transportation codes Military Assistance Sales (MAS) conditions of sale codes Miscellaneous abbreviations Mode of shipment codes | 46 | AR 725-50 AR 55-10 AR's 55-10 and |
| | | 725-50 |
| NATO country codes No future procurement codes | | AR 708-2 AR 700-1 |
| Normal source of procurement codes | | AR 700-1 |
| Organizational abbreviations Originator codes | | AR 55-10 AR 700-1 |
| Oversea geographic area and subarea | | |
| Ownership/purpose codes | | AR 725-50 AR 725-50 |
| Package units | | AR 55-10 |
| Partial shipment indicator and split shipment indicator codes | | AR 55-10 |
| Perishability codes | | AR 700-1 |
| Phrase codes | | AR 700-1 AMCR 780-1 |
| Popularity codes | | AR 55-10 |
| Project codes | | AR 725-50 SMCR 742-30 ² |
| Quality defect codes | | AR 55-10 |
| Quantity exception codes | 46 | AD |
| Rank codes | | AR 55-10 AR 700-1 |
| Receipt status codes | | AR 725-50 |
| Reportable item control codes Requisition history segment codes | 47 | AR 700-1 |
| Return advice codes | | AR 725-50 |
| Routing identifier codes | | AR 725-50 AR 725-50 |
| Shipment schedule codes | 48 | |
| Shipper symbols | 48 | AR 725-50 |
| Signal codes | 4,5 | AR 725-50 |
| Signal codes (price) | | AR 700-1 |
| Special control item codes | 49 | AR 700-1 |
| Special weapons identification codes | 4.9. | |
| Standard catalog change codes | 50 | |

²See paragraph 4.

| | rage | Refer to |
|---|------------|-----------------------|
| Standardization codes | | AR 700-1 AR 725-50 |
| Stowage terms | | AR 55-10 |
| Suffix codes | | AR 725-50 |
| Supplementary freight classification | | 0 |
| guide description codes | | AR 700-1 |
| Supply performance reporting codes | 52 | |
| Supply status codes | | AR 700-1 |
| Transportation account codes | | AR 55-10 |
| Transportation control numbers | | AR 55-10 |
| Transportation priority codes | | AR 55-10 |
| Type of cargo codes | | AR 725-50 |
| Type of hold codes | | AR 725-50 |
| Type of manifest codes | | AR 55-10 |
| Type of package codes | | AR's 55-10 and |
| | | 725 - 50 |
| Type of physical inventory codes | | AR 725-50 |
| Type of shipment codes | | AR 55-10 |
| Type of storage codes | . 59 | WK 22-10 |
| Unit of issue codes | - 27 | AD 700 17 |
| | | AR 708-17 |
| Unit movement identifier (UMI) | | AR 55-10 |
| Vessel status codes | | AR 55-10 |
| Vessel stowage location codes | ٠. | AR 55-10 |
| Vessel sustaining codes | | AR 55-10 |
| Voyage document number codes | | AR 55-10 |
| Water commodity codes and cargo exception | <i>t</i> . | |
| codes | | AR 55-10 |
| Weights and measures units | • | AR 55-10 |

- l. Purpose. To provide in one regulation the codes (with explanations) which are referred to in other United States Army Materiel Command (AMC) and United States Army Supply and Maintenance Command (USASMC) regulations.
- a. This regulation will be used in conjunction with Department of the Army and other applicable regulations.
- b. This regulation will prevail when in conflict with former Army technical service directives within the scope set forth in paragraph 2.
- 2. Scope. This regulation applies to Headquarters, AMC; AMC major subordinate commands (including subordinate installations and activities); and those installations and activities reporting directly to Headquarters, AMC.
- 3. Responsibilities. a. The AMC Logistic Systems Support Center, Letterkenny Army Depot, will be responsible for the maintenance and continued development of this regulation.
- b. Recommendations for changes or additions will be submitted to the Commanding General, AMC, ATTN: Director of Management Systems and Data Automation.
- 4. References. SMCR's cited within this regulation are only applicable to former USASMC organization. These regulations will not be requisitioned by other AMC organizations.

5. Action codes. These codes identify the type of action processed or attempted against the applicable record and/or tape files.

| Code | Explanation |
|------|---|
| Ø | Compensating adjustment (for adjustment edit action card only). |
| 1 | Due-in established. |
| 2 | Receipt due in. |
| 3 | Receipt not due in. |
| 5 | Issue. |
| 8 | Debit adjustment. |
| 9 | Credit adjustment. |
| A | Research. |
| L | Location. |
| Н | History. |
| I | Inventory. |
| S | Monthly reports. |
| C | Change letters. |
| М | File maintenance. |
| T | Rebuild consumption. |
| D | Depot property activity. |
| Z | Integrated cost accounting, |
| Ġ | Depot-owned property record regulations. |

6. Address exception codes. One-position numeric codes used for mechanical preparation of Government bills of lading (GBL) to indicate exception to addresses in the activity address file.

| Code | Explanation |
|------------------------|---|
| 1 | Parcel post address is applicable to freight move- ment and will be indicated on the GBL. |
| 2 | Neither parcel post nor freight address is applicable to freight movement. Address data will not be mechanically entered on GBL, but will be entered manually by transportation activities upon completion of mechanical preparation. |
| 3 | The term "Transportation Officer" will be substituted for the first line of the freight address and shown with the remaining freight address on the GBL for freight movement. |
| 4 | The term "Transportation Officer" will be substituted for the first line of the parcel post address and shown with the remaining parcel post address on the GBL for freight movement. |
| "12" over- punch | Indicates that ORIGIN address, programed in the computer for mechanical insertion on the GBL, is not applicable and will not be mechanically entered on the GBL. |

7. Audit codes. These codes are used to identify errors discovered during the updating of the materiel release order (MRO) history file, program number \$125. See SMCR 725-31 for use of codes.

| Code | Explanation |
|----------|---|
| ۵ | A basic record is posted without a subsequent action record. |
| E | A followup has been received with document identifier AF and dated prior to 5027, but insufficient actions are posted to the history file to prepare the followup reply. A reentry card is prepared with an "ll" overpunch in column 36. |
| F . | The quantity in a cancellation request reentry is greater than the open MRO quantity. A reentry card is prepared with an "ll" overpunch in column 36. |
| G | A followup has been received from a national inventory control point (NICP) or a Defense Supply Center (DSC) and the MRO is open in storage. A followup reply, document identifier BF7(NICP) or CA6(DSC), is prepared with the availability date field blank. |
| H | A followup has been received with document identifier AF and dated prior to 5027. A followup reply card, document identifier AE, with status code BD has been prepared with the estimated availability date field blank. |
| L | Cancellation request has been received and the source document is other than an MRO. A cancellation acknowledgement card is prepared with an "ll" overpunch (reentry) in column 36. |

^{1.} See paragraph 4.

8. Bill of lading control number. An eight-digit number assigned by transportation activities to group Transportation Work Cards (TWC), SMCTAB Form 1075, by planned Government bill of lading (GBL). This number is entered in card columns 19 through 26 of the TWC prior to submission for mechanical preparation of GBL's and will be constructed as follows:

lst & 2d digit

Last two positions of the

calendar year.

3d - 5th digit

The numeric day of the calendar year the TWC is summitted for the mechanical

preparation of the GBL.

6th - 8th digit

Consecutively assigned serial number beginning with 001 each date, each number representing a bill of

lading.

9. <u>Carrier codes</u>. Two-position alphabetic/numberic codes assigned to each carrier and established by depot transportation activities in accordance with SMC Circular 55-3, to indicate the carrier moving material from the shipping depot.

10. Correction codes. These codes are used for making corrections to the requisition history file. They will appear in card column 16 of the material release order history inquiry card, document identifier ZHS.

| Code | | Explanation |
|------|------|---|
| A | | Overlay basic open quantity with quantity in input card. |
| С | . 18 | Overlay materiel release order (MRO) open quantity with quantity in input card. Code C input must contain matching suffix code. |
| D | | Remove the closed indicator on the basic record. |

11. Date offered for shipment codes. Single-digit alphabetic or numeric codes, established by shipping depots, to indicate the number of days prior to the date shipped that the materiel was offered for shipment. The date offered for shipment codes is based on the number of days between the day the materiel is offered for shipment and the day the materiel is actually shipped. These codes will appear in card column 59 of the transportation work card.

12. Decision codes. These codes indicate action taken or reasons for rejects by the computer. A decision code consists of three digits and is broken down into two parts. The first digit will be identified as the major code which indicates the type of transaction attempted. (See "action codes," para 4.) The next two digits will be known as the minor code and identifies the specific reason for the action. Only the two-digit (minor) code, with the explanation for the various conditions that will cause research output or that positive action was taken, have been assigned and are shown below. These two digits, coupled with the action code, constitute the complete decision code. This method requires the assignment of one code to common explanations that are applicable to multiple areas of processing.

| Code | Explanation |
|------|--|
| 01 | No record. |
| 02 | Unit of issue variance/error. |
| 03 | Price variance. |
| 04 | No record of ownership/purpose code or ownership/purpose code is in error. |
| 05 | No record of condition code. |
| 06 | Stock number is frozen. |
| 08 | Invalid tool set assembly. |
| 09 | Invalid or out-of-sequence multicard input. |
| 10 | Stock number change. Old number has an MWO (modification work order) indicator; new number does not. |
| 12 | Numeric character in condition code change field. |
| 14 | No supply action taken on input document. |
| 15 | Fund code in input is in error. |
| 16 | Two bin locations. |
| 17 | More than five locations for this item. |
| 18 | Records show maximum of 10 MWO's. |

| Code | Explanation |
|------|---|
| 19 | Location being changed or deleted not on record. |
| 20 | No record of balance for segregated ownership/ purpose code. |
| 25 | Tag area full. No tags are candidates for removal. Card is punched from input activity record. Input activity not processed. Record printed with audit code 9. |
| 26 | Cancellation acknowledgment input. Cancellation quantity greater than basic open quantity and no matching materiel release order (MRO) with an open quantity equal to canceled quantity. History record will print "6" in the audit code field. |
| 27 | Reversal input. No "ll" overpunch in card column 25. |
| 28 | Deletion, no record in file. |
| 30 | Count quantity field blank. |
| 37 | Invalid action code. |
| 39 | Invalid signal code. |
| 40 | Invalid depot identification. |
| 41 | Invalid management code. |
| 52 | Input is transaction reversal, and the depot master item data file (DMIDF) does not contain an availability portion of record. |
| 57 | Input is for stock number change and there is a discrepancy in either stock number or ownership/purpose code. |
| 59 | Input is receipt as a result of logistical gain transfer; contains service assignment code other than "A," "F," "M," "N," or "S." |
| 60 | Input is logistical loss return, and the fund code is other than "ZY." |
| 63 | Receipt of condition code "K" materiel. |

| Codo | AMCR 700-12 |
|------|--|
| Code | Explanation |
| 70 | Input document coded as receipt of a due-in but has no corresponding document number in the due-in file. Input processed but due-in field not updated. |
| 71 | Invalid input. Document number is in error. |
| 72 | Invalid input. Quantity field is in error. |
| 80 | Invalid input. Document identifier code is in error. |
| 83 | Invalid input. In-transit gain or loss and contains other than sequence indicator "K." |
| 85 | Invalid input. Does not contain condition code. |
| 86 | Invalid input. Does not contain ownership/purpose code. |
| 87 | Invalid input. Date received field is incomplete. |
| 89 | Invalid input. Method of transportation code is other than "R," "T," or "0." |
| 91 | Invalid input. Receipt from procurement or redistribution, and unit price is incomplete or double-punched. |
| 92 | Stock number of input is "change-to" record on the DMIDF. |
| 96 | This is a transfer to Atomic Energy Commission (AEC) (category E), but the old stock manager is not "8." |
| 97 | DMIDF does not contain unit price. |
| Al | A substitution cross-reference is established between sets or kits and their components. Research is required to determine quantitative relationship in order to update the manual substitution data file. |
| A2 | Item is a logistical loss and an availability balance record exists. |
| A3 | This item has been deleted, and there is an on- hand balance. |
| | 13 |

| Code | Explanation |
|------|--|
| A5 | No item record in the DMIDF, and type of change code is not for new item (Signal), reinstatement (Ordnance), or nine card. |
| A8 | Type of change code indicates the establishment of a new stock number in the supply system, but stock number already exists in the DMIDF. |
| Bl | Unit of issue change. Addition of conversion ratio to data in card is required. |
| B5 | Ending date of program has passed. Unless depot maintenance activity requests an extension of closing date within 5 workdays, data processing activity will close out program. |
| В6 | Unit of issue change in financial inventory accounting (FIA) code 8 or 9 item. |
| B7 | Unit of issue change for item in this location. |
| B9 | Physical security classification change from classified to unclassified. |
| Cl | Physical security classification change from unclassified to classified. |
| .C2 | Depot stockage instruction (DSI) in catalog and supply data (C&SD) card does not agree with the DSI in the DMIDF; type of change code is not for DSI change. Exception changes among DSI codes 11, 17, and 25. |
| D3 | Stock manager on DMIDF record has changed from a major item or an ammunition item and an on-hand or location exists. |
| D4 | Duplicate location record. |
| D6 | A special weapons T or W item has been established, and there is an X item for this stock number already established. |
| D7 | Stock manager on DMIDF record has changed to a major item or an ammunition item and an on-hand or location exists. |

| Code | Explanation |
|------------|--|
| | Option of the Control of the Control option optio |
| D8 | Stock number is recorded on the DMIDF as a "change- to," "logistical loss," or "removed type record" and the input requires a record with a data section. |
| D9 | The change-letter (supplement) number on the DMIDF is higher than the number on the change being processed. |
| El | Catalog change card contains invalid data; i.e., blanks in fields which are not to contain blanks, non-numeric punches in a numeric field, nonalphabetic punches in an alphabetic field, or non-acceptable coding in a field requiring specific coding. |
| E2 | A loss of logistical responsibility is indicated, but the new managing activity code is missing or invalid. |
| E3 | A stock number is established or reinstated with no data in the unit price field. |
| E4 | DSI is changed to "02," "04," or "93," but cross- reference stock number is the same as the super- seded stock number. |
| E 5 | An incompatibility exists between the DSI, FIA, field excess disposition (FED), nonstandard item (NSI), or repair status (RS) codes. |
| E6 | Type of change code and DSI are incompatible. |
| E7 | A unit of issue research card produced in prelimi- nary processing was not reentered for posting to the DMIDF on effective date. |
| E8 | Data in type of change code \$16, \$20, and/or \$30 record are incompatible with data in type of change code \$12 record, or the \$12 record is missing for this stock number and change number. |
| E9 | Catalog data change cards contain duplicate stock number, change number, and type of change code; other data in card is contradictory. |

| AMCR | 700-12 |
|------|--|
| Code | Explanation |
| F1 | Establishment of a cross-reference record is indicated. An identical cross-reference record exists on the DMIDF for these stock numbers, except that the reference number code is not the same. |
| F2 | Catalog change cards which contain type of change codes not acceptable to the program from which they were rejected. |
| F4 | Type of change code requires reinstatement of an item which already has authorized status on the DMIDF. |
| F5 | The record in the DMIDF for the cross-reference stock number in the cross-reference input card is missing, indicates unauthorized status, or is a "change-to" record. |
| F6 | The record in the DMIDF for the prime stock number in the cross-reference input card is missing, indicates unauthorized status, or is a "change-to" record. |
| F8 | A DSI change to "02" or "93" for this stock number has been rejected. The DSI for the cross-reference (superseding or replacing) item is other than "11," "17," "25," "7X," or "8X." |
| F9 | This is the output resulting from an inquiry to the cross-reference tape. All the prime stock numbers which are cross-referenced to the stock number on which the inquiry was made are listed, including the supersessions. A separate card is produced for each cross-reference relationship. |
| Gl | Invalid input. Routing identifier code is other than this depot. |
| G3 | Routing identifier code (From) is in error or blank. |
| G4 | Mode of shipment code (card colm 65) is blank, and requisition is not for a local shipment. |
| G5 | Routing identifier code (From), card columns 67 through 69, of the materiel release denial (MRD) bard are blank. |

| Code | Explanation |
|------------|--|
| G6 | Issue priority code, date shipped (card colm 60-64) and routing identifier code (card colm, 74-76) (either blank or alphabetics) appear in card columns 60 through 64. |
| н1 | Routing identifier code (To) (card colm 4-6) is blank or in error. |
| H2 | Document number (card colm 30-43) is blank. |
| Н3 | Document number (card colm 30-43) and routing identifier code (To) (card colm 4-6) are blank. |
| Il | Quantity (card colm 25-29) contains alphabetics. |
| 12 | Document identifier code (third position) and service assignment code (card colm 45) are numeric. |
| 15 | Location count on record is in error. |
| 17 | Change to location already in file. |
| I9 | Unserviceable return, receipt not due-in document. |
| Jl | Addition and corresponding record already in file. |
| J2 | No space available in bin planograph for input location. |
| J 3 | Input contains a "T," "W," or "X" in card column 19, and an ampersand indicator (E) exists in position 030 of the DMIDF. Ownership code is other than "3." |
| J4 | Input contains a "T," "W," or "X" in card column 19 and is for ownership code 3. No ampersand indicator (E) exists in position Ø3Ø of the DMIDF. |
| J5 | Receipt input card for logistical gain of a tech- nical service code 4 item and is other than supply manager 1, 2, 3, 4, 6, 7, 8, or E. |
| J6 | Input for condition code change; losing or gaining purpose code is in error. |
| J7 | Input for transfer between accounts; gaining or losing condition code is in error. |

| Code | Explanation |
|------|--|
| J8 | Input for transfer between accounts; gaining or losing purpose code is in error. |
| K5 | Invalid input. |
| K8 | Invalid stock manager. |
| К9 | Unit of issue in change card is not the same as unit of issue in the DMIDF, and type of change code is not for unit of issue change. |
| L2 | No record in fund conversion table for this change input. |
| L5 | Cancellation has been requested. Requisition has been ordered shipped. History record will print "L" in audit code field. |
| L6 | Cancellation has been requested. Requisition has been ordered shipped and released to transportation. History record will print "L" in audit code field. |
| L7 | Alphabetic character in price field on reversal or warehouse denial card. |
| Ľ9 | Input was processed against a "change-to" stock number. New stock number appears in card columns 45 through 59. |
| МЗ | The on-hand balance of this item record has been decreased, and the item record is frozen. |
| M5 | A deficiency exists for this quantity and stock number on an adjustment initiated locally. |
| M6 | A deficient quantity was received against this stock number, established as a due-in, and receipt document did not reflect a partial shipment. |
| M7 | Stock number established as a due-in on this docu- ment number is not the same stock number received. Requisition indicated, "Do not substitute." |
| M9 | A deficiency exists for this stock number in a tool set assembly. Item record card(s) reflect(s) balance records. |

| Code | Explanation |
|------|---|
| Nl | Input contains a stock number which has been logistically lost. |
| N2 | Input contains a stock number which has been removed from the file. |
| N 4 | A warehouse denial has been processed, and these cards reflect the closing balances. |
| N 5 | Input to preupdate routine is not document identifier code ZI |
| Pl | Logistical loss on item data record. |
| P2 | Programs have been completed for 45 days. |
| Р3 | Invalid input for cancellation routine. Document identifier code was not "ZL9." |
| P4 | Back order exists on consumption summary tape for canceled program. |
| P5 | Nonforecasted item on update routine. |
| P6 | Credit balance on total issue field of consumption file. |
| P9 | Record in file, but no availability section established. |
| R6 | Input was a transferable assets program demand with an invalid service assignment code. |
| R8 | Input is for capitalization and contains invalid service assignment code. |
| R9 | Input stock number has been assigned logistically to another supply service and was not processed. |
| S2 | Stock number field is blank or incorrect. |
| S4 | Issue input is an MRO from a Defense Supply Agency (DSA) single manager. The DMIDF record does not indicate a nonmission item. |
| T2 | The record for this item does not contain an authorization code or contains a code which is invalid and not recognizable to the computer. |

| Code | Explanation |
|------------|---|
| T 9 | This is a transfer from AEC (category E) to other than stock manager 8. |
| W 6 | Demand is for an item which has been removed from the DMIDF records (type of record 3). |
| W7 | The catalog change initiated by DSA has been rejected. The routing identifier code in the change does not agree with the routing identifier code in the DMIDF record. |
| Yl | Deletion of a logistical loss item has been re- jected. The DMIDF record indicates that the item is not a logistical loss. |
| lD | Stock number change with special weapons identi- fication change. |
| 1E . | Input other than freight classification data (FCD) 5 or 6 card. |
| lF | FCD 5 card for input with no 6 card or tape record. No new record built. |
| 1G | FCD 6 card for input with no 5 card or tape record. New record was built without noun. |
| lH | No record MWO file. |
| lJ | Input ownership/purpose code or condition code is in error. |
| 1M | Depot maintenance level (DML) field summary consumption tape has a credit balance. |
| 18 | This is deletion of the master location for the DMIDF record with a balance on hand. |
| 10 | DMIDF reflects two or more subsequent supersession- type actions, i.e., DSI 02, 93, or 04 (System "S"). |
| 14 | DSI is other than "11," "17," or "25" and there is no stock available. |
| 12 | Armed Forces Radio and Television Service (AFRTS) ownership code 7 demand for which there is no stock available. |
| | |

| Code | Explanation |
|-------|---|
| 2 A | Debit to input condition code is not authorized. RS of input is other than "1," "5," or "6." |
| 2 C | Item is a national back order reservation (NBOR). Input is not coded for NBOR release. |
| 2 D | Adjustment is to a prime account code and the DMIDF has other than prime DSI. Input was processed. |
| 2E | Input is for local demand other than FIA category 8 or 9 for which there is no stock available. |
| 2 F | Stock number change. Either stock number, but not both stock numbers, is a SALTI (summary accounting for low-dollar turnover item(s)). |
| 2G | Stock number change. Old stock number has MWO indicator. |
| 2H | Stock number change. Old stock number is frozen. |
| 2J | New stock number is frozen. |
| 2 N | Input is coded for issue from condition code F. Insufficient balance on hand. |
| 2 R | DSI other than "06," "11," "17," "25," "7X," or "8X." Item picked up in purpose code M. Review for appropriate disposition action. |
| 28 | A stock number change was processed against a backup or in-transit availability record, and the new stock number is a special weapon. The availability balances have been added to the parent depot record. |
| 2 T | DMIDF does not reflect a record indicator for this stock number. |
| 2 U | DMIDF does not reflect a change number for this stock number. |
| 2 V 💸 | DMIDF record has been deleted for this stock number. |
| 2 W | DMIDF reflects record indicator 5, and no availability segment exists for this stock number. |
| | |

| Code | Explanation |
|------------|---|
| 2 X | DMIDF contains an MWO indicator, but stock number is not in the MWO file. |
| 3C | SALTI candidate for conversion to "Detailed Account-ing." |
| 3 F | Invalid type of change code, card column 29. |
| 3G | Invalid phrase code, card column 30. |
| 3J | Invalid change-to field, card column 31. |
| 3 K | Duplicated change card. |
| 3 M | Disk location count was found invalid and changed to "l." |
| 3N | SALTI changes not for catalog. |
| 30 | An addition type U found an equal on disk track. |
| 3P | Addition unit of issue not alphabetic. |
| 3Q | Addition price not zero-filled left- or right-justified. |
| 38 | Addition materiel category code not "A" through "S." |
| 3 T | Addition exp/con"1"through"4." |
| 3 U | Addition sub code not "S" or blank. |
| 3 V | Addition perishability not "l" through "9" or blank. |
| 3W | Addition seasonal not W/S or blank. |
| 3X | Addition source supply invalid characters. |
| 3 Y | Addition order shipped time (OST) not "A," "B," "g," or "9." |
| 3Z | Addition price code not "1" through "4." |

| Code | Explanation |
|------------|--|
| 4A | Addition item group not alphabetic. |
| 4B | Addition invalid control code. |
| 4C | Addition invalid returnable container. |
| 4D | Addition invalid supply status. |
| 4E | Addition invalid local manager. |
| 4F | Addition invalid trailer indicator card. |
| 4G | Addition trailers exceed five. |
| 4H | Addition trailer invalid depot. |
| 4 I | Addition trailer invalid stock number. |
| ЦJ | Addition trailer invalid number of locations. |
| 4 K | Addition trailer invalid account codes. |
| 4L | Addition trailer invalid operating level factor (OLF). |
| 4 M | Addition trailer invalid type level. |
| 41 | Addition trailer invalid condition. |
| 40 | Addition trailer invalid customer. |
| 4P | Addition had no valid trailers. |
| 4Q | Delete had balances. |
| 4R | If adjustments for today have reached 5999, run this again. |
| 5 A | Invalid inventory owner. |
| 5B | Invalid service assignment code. |
| 5 C | Invalid type of assistance code. |
| 5 D | No record exists in DMIDF on prime stock number reflected in item data input card. |

| Code | Explanation |
|------------|--|
| 5E | No record exists in DMIDF on reference stock number reflected in item data input card. |
| 5 F | Invalid or blank condition code in card column 71. |
| 5H | No segment found on type two inquiry. |
| 5J | Specified segment not found. |
| 5 T | Invalid record code inquiry card. |
| 5 U | Invalid account code inquiry input. |
| 5 V | Invalid type of inquiry code. |
| 5 W | Disk invalid account code found on mass inquiry. |
| 6A | Attempt to change master location when master location record not same as input. |
| 6B | Blank column in location field. |
| 6 C | Additional location indicator removed. |
| 6 D | Attempt to delete bin location with other locations on record. |
| 6E | Type 5 record developed for location add. |
| 6 F | MWO number to be deleted, not in MWO file. |
| 6G | Addition card equal to file, |
| 6H | Not on file. |
| 6 J | Not proper input. |
| 6 K | No job order or AMS (Army management structure) code on record for this change. |
| 6L | Duplicate of job order number or AMS code on record. |
| 6M | Input to master file not in proper sequence. |
| 6N | Record for this foreman previously established on this job. |
| 6P | No record for this foreman for this change. |

| Code | Explanation |
|------------|---|
| 6Q | Date released to shop entered into the record when there is a priority code in record. |
| 6 R | No phase number on record for this change. |
| 6S | Record already established for this skill this period. |
| 6T | Date released to shop entered in this master file record when there is a priority code in the record. |
| 6 U | Invalid financial accounting category (FAC) (action/decision code). |
| 6 V | Organization supply code field (card colm 31-33) of the input card contains blanks, and the document identifier code does not indicate that this is a transfer. |
| 6W | Hand receipt code field (card colm 34-35) of the input card contains blanks, and the document identifier code does not indicate that this is a transfer. |
| 6 X | Credit balance would develop in the quantity field if input were processed. |
| 6 Y | Organization supply code is not in the file. |
| 6 Z | Hand receipt code field is not in the file. |
| 7 A | There is an authority variance or error. |
| 7B | Input is for a deletion, and the quantity field contains other than a zero balance. |
| 7C | Information on record is same as information in addition/deletion/change card. |
| 7 D | Type of record code in input card does not agree with type of record code established in property record. Item record card is furnished. |
| 7 E | Type of record code in input card is a "2" or "3," and equipment serial number field (card colm 50-61) is blank or incomplete. |

| Code | Explanation |
|------|---|
| 7F | Type of record code in input card is a "4," and date of issue field (card colm 64-68) is blank or incomplete. |
| 7G | FAC (action/decision code) does not agree with type of record code. |
| 7H | No record of a detail card previously scheduled for equipment. |
| 7J | Equipment number not in file. |
| 7K | Location contained in input document is incom- patible with location in the equipment record. |
| 7L | Beginning hours or miles are unequal to ending of previous day. |
| 7M | Previous utilization not reported. |
| 7N | The dollar value of input is incerror. |
| 7P | No due-in record. |
| 7Q | Quantity input is higher than quantity of due-in record. |
| 8A | Invalid. No record on CA-8 file. |
| 8B | Invalid. Type rate identification other than "1," "2," "3," or "4." |
| 8C | Invalid. Alphabetic digit punched in numeric fields (card colm 7-80). |
| 8D | Invalid. Record already established. |
| 8E | Invalid. Blank columns in cost center field (related). |
| 8F | Invalid. Blank columns in AMS cost field. |
| 8G | Invalid. W/SS (weapons/support system) identifi- cation other than alphabetic characters. |
| 8H | Invalid. Blank column in job order/production control number (JO/PCN) field. |

| Code | Explanation |
|------|---|
| 9 A | Invalid input. Card column 7 is in error. |
| 9C | Processing of this input resulted in a credit in the balance-on-hand field. |
| 9E | Duplicate MRO cards have been entered in this run, and the first MRO card has been processed; the duplicates are rejected for research. |
| 9F | Duplicate MRO card has been received and is rejected for research. |
| 9G | No location on this DMIDF. |
| 9H | Card columns 45 through 53 on adjustment document not blank. |
| 91 | Card columns 60 through 64 on adjustment document not blank. |
| 9J | Card columns 76 through 80 on adjustment document not blank. |
| 9M | This input not processed. Deletion of freight classification records is not authorized. |
| 9N | This receipt document was processed late. |
| 9.P | Work measurement code in card columns 38 through 42 is invalid (ZIS) (correction/deletion card). |
| AA | Invalid. No record established on CA-3 file for AMS code, or AMS and W/SS code, or JO/PCN. Other fields may be in error. |
| AB | Invalid. No cost center record established on CA-4 file. |
| AC | Invalid. No labor rate established on CA-4 file. |
| AD | Invalid. No indirect expense rate established on CA-4 file. |
| AE | Invalid. No cost accounting expense rate established on CA-4 file. |
| AF | Invalid. Related cost center code is punched but class of service (card colm 80) is other than "1," "2," or "3." |

| Code | Explanation |
|------|---|
| AG | Invalid. Class of service code (card colm 80) is punched "1," "2," or "3" but related cost center code is blank or no record is established on CA-4 file. |
| АН | Invalid. Units position (card col'm 48) of actual hours is other than "0," "2," "5," or "7." |
| AJ | Invalid. Type hours is other than "1," "2," "3," "4," or "5." |
| AK | Invalid. Blank columns in date field. |
| AL | Invalid. Class of service code is "2" or "3," and the AMS-W/SS-JO/PCN is punched. |
| AM | Invalid. Class of service code is "1," "2," or "3," and type of hours is punch "5" (leave). |
| AN | Invalid. Record closed; cannot post to the AMS-W/SS-JO/PCN record. Other fields may be in error. |
| AP | Invalid. Cost center code not established on CA-1 file for this maintenance JO/PCN record. |
| AQ | Invalid. Multi-errors; two or more fields invalid. |
| AR | Invalid. Type production is other than "3," "4," "5," or "6." |
| AS | Invalid. Related work center code punched in ZI8 card. |
| AT | Invalid. Actual hours punched in ZI8 card. |
| AU | Invalid. Hourly rate field blank and/or hours used field blank. |
| ΑV | Invalid. The cost center record on CA-1 file is closed; the transaction did not post. |
| AW | Invalid. Equipment rental reported on other than AMS 9030-series. |
| AX | Invalid. No record for equipment rental/depreci- |
| 3 | |

| Code | Explanation |
|------|---|
| AY | Invalid. Firefighter equipment rental not reported on AMS 9030.13-series and/or a fire department cost center code. |
| AZ | Invalid. Type action code is other than "1," "2," or "3" or "A," "B," or "C." |
| вА | Invalid. Funded/unfunded code is punch code 2 and the estimated unit cost and/or cost percentage indicator is punched. |
| ВВ | Invalid. No extended amount on depot property transaction. |
| BC | Invalid. Depot property transaction unfunded with managerial code E punched. |
| BD | Invalid. Extended amount field in general account- ing transaction more than nine digits. Too large to process. |
| BE | Invalid. Unfunded return on depot property transaction (ZIM or ZIN). |
| BF | Invalid. Capital/production equipment with unit cost under minimum. |
| BG | Invalid. Funded/unfunded code other than "1" or "2." |
| вн | Invalid. Object class field is zero or blank on general accounting transaction. |
| ВЈ | Invalid. Action code indicates deletion of record not zero balance. |
| ВК | Invalid. Cost application code. |
| BL | Invalid. Productive/nonproductive code other than "1" or "2." |
| ВМ | Invalid. Blank columns in cost center field (PRIMES [Productivity Integrated Measurement System]). |
| BN | Invalid. Work measurement code field (card colm 38-42 is blank with document identifier code ZI2, ZI3, ZI4, or ZI5. Card column 80 is not punched with code 2 or 3. |

| Code | Explanation |
|------|---|
| BP | Invalid. Duplicate input; record has been established for division indirect expense rate, or record has been established for directorate general accounting expense rate on CA-4 file. |
| BS | Invalid budget program code on payroll work tape. |
| BT | Payroll labor hours and reported labor hours do not agree on labor variance listing. |
| BU | Invalid. Type of labor hours code (card colm 49) is punched with "1," "2," "3," "4," or "5" but labor hours field (card colm 44-48) is blank. |
| DA | FAC is "S" and type of record is not "l." |
| DB | Table of allowance (TA) authorization is blank. |
| DC | Input card with no record found for FAC. |
| DD | Input card with no record found for stock number. |
| DE | Input card with no record found for TA authorization. |
| DF | Unit of issue on card does not match unit of issue on file. |
| DG | Type of record code on input card does not match file. |
| DH | Issue is made to an item serially numbered, but the item is already on file. |
| DJ | After deleting a record on file due to a turn-in, another turn-in is received but there is no quantity on file at this time, making the quantity turn-in larger. A card is punched indicating that this turn-in cannot be made. |
| DK | Input card does not match the segment record; a card must be punched. |
| DL | Miscellaneous changes. Nomenclature card input is not valid. |
| DM | Invalid type of action code on input card. |
| | |

| Code | Explanation |
|------|--|
| DN | Addition card input for an identical record al- ready on file. |
| DP | Deletion input matches master file, but there is a segment or quantity also on segment tape. |
| DQ | Installation identifier not equal to tape. |
| DR | Invalid document identifier code or mixed input (e.g., deletion card and revision card for same record). |
| DS | Card input to add a record; record will not be added. |
| DT | ZKM, paint and inventory card, with invalid data. |
| EB | This item inventoried; however, DOLI (date of last inventory) could not be updated. Type of record, if any, indicated in card columns 72 through 80. Date for research, if necessary, can be found in daily inventory register for date indicated in card columns 39 through 41. |
| EC | Cutoff date passed. Item will be found on inventory date list for lot and increment number reflected in card columns 47 through 50. |
| ED | WB (Wage Board) civilian labor transaction reject. |
| EE | GS (General Schedule) civilian labor transaction reject. |
| EF | WAE (when actually employed) civilian labor trans- action reject. |
| EG | Military labor transaction reject. |
| EH | Production reporting. |
| FA | No EIC on mortality data. |
| FB | Document identifier code not compatible with action code. |
| FD | PCN previously established in Program 1135. Duplicate input/first input processed in Program 1127. |
| FE | No matching PCN on summary consumption tape. |

| Code | Explanation |
|------|---|
| FF | PCN beyond intent stage. |
| FG | Invalid. No review indicator. |
| FH | PCN has not been completed. |
| FJ | No reliability code, or reliability code invalid. |
| FK | Change indicator not compatible with document identifier code. |
| FL. | Change indicator decrease quantity greater than established quantity. Input rejected. |
| FM | Invalid "sub" or "add" indicator. |
| FN | Density factor invalid alphabetic quantity. Field left blank or contains all zeros. |
| FP | No matching PCN or work authorization file. |
| FQ | Quantity turned in exceeds quantity issued on summary consumption. File input rejected. |
| FR | No matching FSN on summary consumption file for specific PCN. |
| FS | Invalid OST code. |
| FT | PCN finalized. |
| FU | Invalid PCN status indicator. |
| F۷ | Invalid delete indicator. |
| FW | EIC blank or incomplete. |
| FX | No issues or adjustments allowed. PCN completed. |
| FY | PCN has not been finalized. Input rejected. |
| FZ | No issues, returns, and/or consumption allowed. PCN still in intent stage. |
| GA | Indicates nine or more master catalog file sub- stitute stock numbers. |

Document identifier codes ("Z" series). The following document identifier codes are for internal processing only. Cards containing a "Z" document identifier code may not be passed beyond the confines of an installation.

| Code | Explanation |
|-------|--|
| ZAA | Multi/sequence action card (drop or pickup). |
| ZAB | Physical inventory card (gain). |
| ZAC | Physical inventory card (loss). |
| ZAD | Accounting error card (increase). |
| ZAE | Accounting error card (decrease). |
| ZAF | Condition change card (drop and pickup). |
| ZAG . | Condition change card (condition code K to true condition). |
| ZAJ | Condition change card with lot number change. |
| ZAK | Condition change card with location change. |
| ZAL | Condition change card with stock number change. |
| ZAM | Lot number/reclassification change card (decrease/increase). |
| ZAN | Location/condition change card (decrease/increase). |
| ZAR | Quantity decrease card. |
| ZAS | Stock number change card. |
| ZAT | Lot number change card. |
| ZAU | Location change card. |
| ZAV | Shipping information code change card. |
| ZAW | Type of item change card. |
| ZAX | <pre>ICC (Interstate Commerce Commission) mark- ing change card.</pre> |
| ZAZ | Surveillance data card. |

| Code | Explanation |
|------|--|
| ZAl | Followup answer (for use by intradepot activities). |
| zcı | Request for cancellation (for use by intradepot activities). |
| ZDC | Shop and installed equipment addition card 1. |
| ZDD | Shop and installed equipment addition card. |
| ZDE | Shop and installed equipment utilization card. |
| ZDF | Shop and installed equipment maintenance request card. |
| ZDG | Equipment deletion/change card. |
| ZDH | Schedule detail card (shop and installed equip-ment). |
| ZDJ | Schedule detail card (mobile equipment). |
| ZDK | Equipment replacement. |
| ZDL | Mobile equipment addition card 1. |
| ZDM | Mobile equipment addition card 2. |
| ZDN | Mobile equipment maintenance request card. |
| ZDP | Mobile equipment utilization card. |
| ZDQ | Maintenance of installation operating equipment research card. |
| ZDR | Property book accounting record addition/deletion/change card. |
| ZDS | Property book accounting record nomenclature change card. |
| ZDT | Property book accounting record issue card. |
| ZDU | Property book accounting record turn-in card. |
| ZDV | Property book accounting record adjustment card. |
| ZDW | Property book accounting record transfer card. |
| ZDX | Property book accounting record card. |
| | 3/ |
| | 34 |
| | |

| Code | Explanation |
|------|--|
| ZDY | Equipment status card. |
| ZDZ | Property book accounting record inventory selection card. |
| ZEA | Mortality data card with FSN. |
| ZEB | Mortality data card with part number. |
| ZEC | Mortality data card with North Atlantic Treaty Organization (NATO) stock number. |
| ZED | Mortality data card with other. |
| ZEE | Mortality data card with exception data. |
| ZEl | Supply status card (for use by intradepot activities). |
| ZFA | R&U job order accounting research card. |
| ZFB | Job order master file input card. |
| ZFC | Completed job order card. |
| ZFD | Project status report input card. |
| ZFE | Job order phase input card. |
| ZFG | Job order phase card. |
| ZFH | Man-hours available for scheduling card. |
| ZFJ | Real property addition card. |
| ZFK | Real property data change/deletion card. |
| ZFL | Inventory of military real property record card. |
| ZF1 | Followup (for use by intradepot activities). |
| ZGA | Program data card with Federal stock number (FSN). |
| ZGB | Program data card with part number. |
| ZGC | Program data card with NATO stock number. |
| ZGD | Program data card with other. |
| ZGE | Program data card with exception data. |
| | 35 |
| | |

| Code | Explanation |
|------|--|
| ZHA | Depot property catalog change card. |
| ZHF | Storage quality data/history record card. |
| ZHG | Storage quality history record card. |
| ZHH | Storage quality history record card (partial). |
| ZHJ | Storage quality data card. |
| ZHS | Materiel release order history inquiry card. |
| ZH7 | Materiel release order history file overflow card. |
| ZH8 | Weight survey card. |
| ZIA | Correction card to correct clearing ledger file. |
| ZIB | Labor reconciliation control card No. 1 (daily). |
| ZIC | Labor reconciliation control card No. 2 (weekly). |
| ZID | Master labor tape change card. |
| ZIE | Master change card (CA-1, CA-3 file maintenance). |
| ZIF | Job order/production control number (JO/PCN) esti- mated costs. |
| ZIG | Master change card (CA-2, CA-4 file maintenance). |
| ZIH | General administrative and utilities expense distribution card. |
| ZIJ | Cost center transfer card (military personnel). |
| ZIK | Rates table addition/adjustment card. |
| ZIL | Labor variance card (reported labor hours do not agree with payroll labor hours for a pay period). |
| ZIM | Materiel/supplies, correction-adjustment (DPOD) card. |
| ZIN | Materiel/supplies, correction-adjustment (SSSC) card. |
| ZIP | AMS (Army Management Structure) cross-reference/description index card. |
| ZIQ | Equipment rental cost card. |

| (| Code | Explanation |
|---|------|--|
| | ZIR | Cost accounting transaction detail reject card (cost accounting input only). |
| | ZIS | Research cardout-of-balance record exists on daily transaction register. |
| | ZIT | Depot property action tape. |
| | ZIU | Cost transfer card. |
| | ZIV | Maintenance support distribution card. |
| | ZIW | Labor clearing ledger, correction/adjustment card. |
| | ZI2 | Labor and production card (WB). |
| | ZI3 | Labor and production card (GS). |
| | ZI4 | Labor and production card (WAE). |
| | ZI5 | Labor and production card (military). |
| | ZI6 | Accounting transaction detail card (cost and general accounting). |
| | ZI7 | Accounting transaction detail card (general accounting). |
| | ZI 8 | Labor and production card (end item and functional only) |
| | ZI9 | Cost inquiry card. |
| | ZKL | Inventory of military real property record card. |
| | ZKM | Inventory reconciliation military real property card. |
| | ZKN | Real property transaction card. |
| | ZLA | Detail consumption card. |
| | ZLC | Bill-to address change card. |
| | ZLD | Item data research card. |
| | ZLH | DML (depot maintenance level) research card. |
| | ZLL | Scan control card. |

| Code | Explanation |
|------|--|
| ZLM | Standard data research card. |
| ZLR | Work measurement code deletion card. |
| ZLS | Method of storage change card. |
| ZL2 | MWO (modification work order) add card. |
| ZL3 | MWO delete card. |
| ZL4 | Location survey request card, |
| ZL5 | Location audit request card. |
| ZL6 | Location survey work card. |
| ZL7 | MWO research card. |
| ZL9 | Program closeout card. |
| ZMA | Storage inquiry card. |
| ZMD | Freeze code change card. |
| ZME | Restrict note change card. |
| ZMF | Issue priority code change card. |
| ZMG | Date of manufacture change card. |
| ZMH | Date of last inventory change card. |
| ZMJ | Date of inspection change card. |
| ZMK | MAP (Military Assistance Program) acceptance code change card. |
| ZML | Ammunition grade change card. |
| ZMM | Special remarks addition card. |
| ZMN | Special remarks deletion card. |
| ZMR | Item data sheet number change card. |
| ZMS | Component lot number change card (add). |
| ZMT | Component lot number change card (delete). |
| Ü | Space report record change card (add site). |

Explanation Code Space report record change card (delete site). ZMV Correction card--drop/pick up lot number shipped. ZMW Add defect code card. ZMX Delete defect code card. ZMY Location change card (addition). ZNA Location change header card. ZNB Location change card (change). ZNC Location change card (deletion). ZND Packing reimbursement card for DSA (Defense Supply ZNF Agency)-owned items. Inventory research card. ZNG Packing reimbursement card for other than DSA-owned ZNH items. ZNJ Inventory request card. Inventory count card. ZNK Inventory activity record card. ZNL Inventory lot data change card. ZNP Standard catalog data change card. ZNT Standard catalog data change card, cross-reference. ZNV Summary inventory data card. ZNW Stock location card. ZNl Location card. ZN2 Location lot data change card, ZN3 Location research card. ZN6 Empty bin/research card. ZN8 Procurement commitment and obligation funds load ZPA card.

| Code | Explanation |
|------|---|
| ZPB | Procurement commitment and obligation adjustment funds card. |
| ZPC | Procurement purchase request card. |
| ZPD | Procurement purchase order card. |
| ZPE | Procurement flexowriter output card. |
| ZPF | Procurement vendor performance request card. |
| ZPG | Procurement vendor performance reply card. |
| ZPH | Procurement vendor delinquent card. |
| ZPL | Procurement source card. |
| ZQA | Maintenance quality data card. |
| ZQQ | Programs control number inquiry card. |
| ZRA | Freight planning item data card. Update all information. |
| ZRB | Freight planning item data card. Update NMFC (national motor freight classification). |
| ZRC | Freight planning item data card. Update no-go parcel post code. |
| ZRD | Freight planning item data card. Update exception handling code. |
| ZRE | Freight planning item data card. Update unit pack quantity, weight, and cube with no-go parcel post code. |
| ZRF | Freight planning item data card. Update unit pack quantity, weight, and cube with no-go parcel post code and exception handling code. |
| ZRG | Freight planning item data card. Update unit pack quantity, cube, and weight and exception handling code. |
| ZRH | Freight planning item data card. Update exception handling and no-go parcel post fields. |
| ZRJ | Freight planning item data card (EAM master), |

| Code | Explanation |
|------|---|
| ZSA | Standards index file card (PRIMES [Productivity Integrated Measurement System]). |
| ZSB | Standards index file listing card. |
| ZSM | SALTI's (summary accounting for low-dollar-turnover items) that have not reached reorder point since last cyclic review. |
| ZSP | BII (basic issue item) research cardnotification of excess in CCSF (Command Channel Stock Fund). |
| ZSR | Requisitioning objective review card. (Satellite depot's requisitioning objective is greater than computed requisitioning objective.) |
| zss | Requisition history inquiry card (depot property). |
| zsø | SALTI reorder point/issue card. |
| ZS1 | Depot propertydirect delivery shipment status card. |
| ZS 8 | Adjustment card. Loss to SALTIgain to detailed account. |
| ZS 9 | Adjustment card. Gain to SALTIloss to detailed account. |
| ZXF | Tons-in-storage research summary card. |
| ZXP | Expenditure order card. |
| ZZl | Central procurement in-transit card. |
| ZØ A | Request for issue with FSN (intradepot). |
| ZØB | Request for issue with part number (intradepot). |
| ZØC | Request for issue with NATO stock number (intra-depot). |
| ZØD | Request for issue with other (intradepot). |
| ZØE | Request for issue with exception data (intradepot). |
| zøs | SALTI post post issue card. |
| Z2 A | Materiel release denial with FSN (intradepot). |

| Code | Explanation |
|---------------|--|
| Z2 B | Materiel release denial with part number (intra-depot). |
| Z2C | Materiel release denial with NATO stock number (intradepot). |
| Z2 D | Materiel release denial with other (intradepot). |
| Z2E | Materiel release denial with exception data (intradepot). |
| Z3A | Request for turn-in with FSN (intradepot). |
| Z3B | Request for turn-in with part number (intradepot). |
| Z3C | Request for turn-in with NATO stock number (intradepot). |
| Z3D | Request for turn-in with other (intradepot). |
| Z3E | Request for turn-in with exception data (intradepot). |
| Z4A | Demand data card with FSN (intradepot). |
| Z4B | Demand data card with part number (intradepot), |
| Z4 C | Demand data card with NATO stock number (intradepot). |
| Z4D | Demand data card with other (intradepot). |
| Z4E | Demand data card with exception data (intradepot). |
| Z4 Z | Condition code K receipt (from procurement statistical card. |
| 25 A | Materiel release order with FSN (intradepot). |
| Z5 B | Materiel release order with part number (intradepot). |
| , Z5 C | Materiel release order with NATO stock number (intradepot). |
| Z5 D | Materiel release order with other (intradepot). |
| Z5 E | Materiel release order with exception data (intradepot). |

| Code | Explanation |
|-------------|---|
| Z6 A | Establishment of back order with FSN (intradepot). |
| Z6B | Establishment of back order with part number (intradepot). |
| Z6 C | Establishment of back order with NATO stock number (intradepot). |
| Z6 D | Establishment of back order with other (intradepot). |
| Z6E | Establishment of back order with exception data (intradepot). |
| Z6 Z | Condition code K receipt (from other than procure-ment) statistical card. |
| Z7A | Back order release with FSN (intradepot). |
| Z7B | Back order release with part number (intradepot), |
| Z7C | Back order release with NATO stock number (intradepot). |
| Z7 D | Back order release with other (intradepot). |
| Z7E | Back order release with exception data (intradepot), |
| Z8A | DML debit adjustment card with FSN (intradepot). |
| Z8B | DML debit adjustment card with part number (intradepot). |
| Z8C | DML debit adjustment card with NATO stock number (intradepot). |
| Z8 D | DML debit adjustment card with other (intradepot). |
| Z8E | DML debit adjustment card with exception data (intradepot). |
| Z9A | DML credit adjustment card with FSN (intradepot). |
| Z9B | DML credit adjustment card with part number (intradepot). |
| Z9 C | DML credit adjustment card with NATO stock number (intradepot). |
| Z9 D | DML credit adjustment card with other (intradepot). |
| | 43 |

Code

| Codes | Explanation |
|-------------|--|
| Z9E | DML credit adjustment card with exception data (intradepot). |
| Z92 | Address/rate data change card. |
| Z94 | Shipment history card. |
| Z95 | Storage statistics card. |
| Z96 | Physical security identification card. |
| Z97 | Item record research card (credit balance advice). |
| Z98 | Stock change card. |
| Z99 | Combat surveillance/safe signal item card. |
| Z 9Ø | Storage management card. |

14. Location category codes. These codes are used in conjunction with bin sizes when requesting bin assignment through the remote inquiry station.

Explanation

| L | Locked storage area. | |
|------|------------------------------|--|
| U | Unlocked storage area. | |
| 15. | Lot data change codes. | |
| Code | Explanation | |
| 1 | New record. | |
| 2 | Changelower limit. | |
| 3 | Changeuper limit. | |
| 4 | Changenumber control fields. | |
| 5 | Changetag number. | |
| 6 | Delete record. | |

16. Major item equipment identification codes. (Federal stock number (FSN) suffix.) These codes are used to further identify major items as to their usage.

| Code | Explanation |
|------|---|
| W | Installed winterization equipment. |
| В | Unserviceable rifles suitable for firing blanks, reported as purpose code |
| С | FSN 2430-740-5800, tractor, full tracked, high speed, M8Al, W/E, which has cargo body. |
| D | Unserviceable rifles suitable for drill use only, reported as purpose code |
| L | Guided missile major items, normally trailed mounted, on hand in depot stock, less the trailer or dolly. |
| М | Bulldozer stocks, mounted on tanks or tractors. |
| И | Serviceable and unserviceable rifles suitable for sale to National Rifle Association members, reported as purpose code. |
| S | FSN 2430-748-5800, tractor full tracked, high speed, M8A1, W/E, which has sky-sweeper body. |

17. Method of transportation codes. These codes will appear in card column 61, DD Form 1486 (DOD Materiel Receipt Document). They indicate the method of transportation used to return materiel.

| <u>Code</u> | Explanation |
|-------------|-------------|
| R | Rail. |
| T | Truck. |
| 0 | Other. |

18. Quantity exception codes. Single-position numeric code to identify the type of action which caused a change in the quantity ordered shipped. These codes are used to update freight planned work tapes.

| <u>Code</u> | <u>Explanation</u> |
|-------------|--|
| 1 | Complete warehouse denial or total cancellation. |
| 2 | Partial shipment. |
| 3 | Partial shipment; remaining quantity warehouse denied. |

assigned to identify and sequence the segments which make up the requisition file. Codes 1, 2, 3, and 4 are assigned in the issue, receipt, and adjustment routines and applied as the "type of record" code on the action tape. All other codes are assigned in the requisition history program.

| Code | Explanation |
|------------|--|
| Blank | Requisitionas entered into depot supply system. Base of history. |
| 0 | Requisitionreceipt of a requisition which was previously entered at the supply source, i.e., duplicate, re-referral, or reinstatement. |
| 1 | Processed issue of reimbursable adjustment transactionaccountable transaction. |
| 2 | Processed reversal transaction accountable transaction. |
| 3 . | Outgoing referral, back order, or discrepancy. |
| ų | Outgoing passing order. |
| 5 | Storage movement. |
| 6 | Status. |
| 7 | Materiel release confirmation or materiel re- lease denial. |
| 8 | Shipment history. |
| 9 | Customer followup, cancellation, or management inquiry. |
| A | Return credit request FK2 document to be entered on the stock fund action tape only. |
| В | Return materiel to be entered on the stock fund action tape only. |

20. Shipment schedule codes. These codes identify the types of material to be shipped or type of shipment shown on shipment planning schedules.

| Code | Explanation |
|------|--|
| В | Bulk items (excluding major items) not conducive to consolidation with other types of items and not normally processed through a central packing activity because of weight or volume. |
| F | Freight shipment of items easily consolidated or processed through a central packing activity other than bulk or parcel post. |
| P | Items that meet parcel post criteria and may be shipped through the postal service. |
| L | Materiel for delivery to intradepot consignees (but not including depot property materiel). |

21. Shipping tonnage category codes. Four-position numeric codes which identify the shipping destination of tonnage shipped for completion of tonnage reports as required by AR 780-63. These codes are assigned on-line in program run \$281 and, when required, are entered in card columns 7 through 10 of the storage statistics card.

| <u>lst position</u> | 2d position | 3d position | 4th position |
|---------------------|-----------------------------|---------------------|--------------|
| 5Issue | 1PD0 | ØOther | ØFreight |
| | 2DSA | lSpecial weapons | lParcel post |
| | 3Interdepot | | 2Local issue |
| | 4Posts, camp abd station | os, ns | |
| | 5Ports | | |
| | 7MAP | | |

- 22. Special notations codes. Single alphabetic or numeric codes, established by depots in accordance with SMC Circular 55-3, to identify a special notation to be mechanically entered on a Government bill of lading, e.g., "Released at a valuation not exceeding 50 cents per pound" or "No dunnage or other materiel used."
- 23. Special weapons identification codes. (Atomic Ordnance materiel.) These codes are used to qualify atomic Ordnance materiel as to its usage for war reserve or training purposes.

| Code | Explanation |
|------|---|
| W | War reserve. Used to identify an item whose quality is such that it is used only with a war reserve end item. |
| Т | Training. Used to identify an item whose quality is such that it is used only with a training end item. |
| Х | War reserve and training (single quality). Used to identify an item whose quality is such that it is used on either a war reserve or training end item. |

Standard catalog change codes. These codes are used to identify catalog changes applied to the master item balance file. They are derived from System "O" and System "S" type of change codes, which are converted during processing of change letters or C&SD supplements. These codes must be used for reentry of research data or for posting of interim catalog changes.

| Code | Explanation | | | |
|------|--|--|--|--|
| 000 | System "O." Deletes an invalid stock number. System "S." Voids an authorized stock number. | | | |
| 001 | System "0." Completely removes catalog data from file. System "S." Deletes erroneously assigned stock number. | | | |
| ØØ2 | Changes stock number and creates "delete" record for old stock number. Must be accompanied by a type of change 080 entry. | | | |
| 003 | Voids a stock number and creates a "delete" record. Must be accompanied by a type of change 081 entry. | | | |
| 010 | Establishes a record for a new stock number. | | | |
| Øll | Reinstates a stock number. | | | |
| Ø12 | Used for multiple data changes. | | | |
| Ø15 | Multiple data changes and a nonquantitative unit of issue change. | | | |
| Ø16 | Multiple data changes and a quantitative unit of issue change. | | | |
| 020 | FIA category change. | | | |
| Ø3Ø | Price change. | | | |
| Ø4Ø | System "0." Authorization change. System "S." Depot stockage instructions change within authorized or unauthorized status. | | | |
| Ø41 | System "0." Source symbol change. System "S." Repair status change. | | | |
| Ø42 | Nonstocked item code change. | | | |
| Ø43 | System "0." Echelon symbol change. System "S." Field excess disposition code change. | | | |

| Code | Explanation |
|--------------|--|
| 044 | Type of classification change. |
| Ø45 | Perishability code change. |
| Ø46 | Expendability code change. |
| 047 | Physical security classification change. |
| \$ 48 | Noun change. |
| Ø6Ø | System "0." Unit pack quantity, weight, or cube change. System "S." Unit pack quantity change. |
| 070 | Logistic responsibility loss. |
| Ø8Ø | Stock number change. (Used in conjunction with type of change code $\emptyset \emptyset 2$.) |
| Ø 8 2 | Establishes void/use cross-reference. (Used in conjunction with type of change code \$03.) |
| Ø9Ø | Deletes cross-reference data from file. |
| Ø91 | Establishes cross-reference data in file. |

25. Supply performance reporting codes.

a. Conversion table for MAP country codes to requisitioner report numbers.

| report numbers | Code | Country |
|----------------|------|----------------------------------|
| 05 | GW | Germany |
| 05 | AU | Austria |
| 05 | IT | Italy |
| 05 | N2 | NATO |
| 07 | \$4 | Stockpile J |
| .06 | SK | Senegal |
| 07 | D4 | Log Center, Japan (USALCJ) |
| 05 | FR | France |
| 05 | BE | Belgium |
| 05 | GR | Greece |
| 05 | M2 | MAP property sales and disposals |
| 05 | NE | Netherlands |
| 07 | S6 | JCAB (Air Force CAB, Japan) |
| 05 | T9 | United Nations |
| 05 | SP | Spain |
| 05 | PT | Portugal |
| 05 | SZ | Switzerland |
| 05 | DE | Denmark |
| 05 | NO | Norway |
| 05 | SW | Sweden |
| | | 24.5 (51) |

| Requisitioners' report numbers | Code | Country |
|--------------------------------|-------|----------------------|
| 05 | LX | Luxembourg |
| 06 | KE | Kenya |
| 06 | NI | Nigeria |
| 05 | YU | Yugoslavia |
| 07 | LA | Laos |
| 06 | JO | Jordan |
| 06 | LE | Lebanon |
| 06 | IS | Israel |
| 06 | EG | Egypt |
| 06 | su | Sudan |
| 05 | S7 | Stockpile Stockpile |
| 06 | TU | Tunisia |
| 0.6 | LY | Libya |
| 06 | SM | Somalia |
| 06 | υx | United Arab Republic |
| 06 | UA | South Africa |
| 06 | ET | Ethiopia |
| 06 | LI | Liberia |
| 06 | PE | Peru |
| 06 | AR | Argentina |
| 06 | BR | Brazil |
| 06 | CI | Chile |
| 06 | BL | Bolivia |
| · 06 | VE VE | Venezuela |

| Requisitioners' report numbers | Code | Country |
|--------------------------------|------|--|
| Ò 6 | MX | Mexico |
| 06 | ES | El Salvador |
| 06 | co · | Columbia |
| 06 | CS | Costa Rica |
| 05 | TK | Turkey |
| 05 | IR | Iran |
| 05 | IQ | Iraq |
| 0.5 | N 4 | NATO Maintenance and Supply Organization |
| 05 | SY | Syria |
| 05 | SR | Saudi Arabia |
| 07 . | AF | Afghanistan |
| 07 | IN | India |
| 07 | TW | Republic of China (Taiwan) |
| 07 | RK | Ryukyu Islands |
| 07 | KS | Korea |
| 07 | PI | Philippine Islands |
| 07 | JA | Japan |
| 07 | IC | Indo-China |
| 07 | TH | Thailand |
| 07 | ID | Indonesia |
| 07 | BM | Burma |
| 07 | CE | Ceylon |
| 07 | PK | Pakistan |
| 06 | RM | Mali |

| Requisition report num | oners' nbers Code | Country. |
|------------------------|-------------------|----------------------------|
| 05 | R2 | European Area |
| 07 | CB | Cambodia |
| 07, 15 16, 17 | vs · | Vietnam |
| 07 | FM | Malaya Federation |
| 05 | UK | United Kingdom |
| 06 | CM | Cameroun |
| 05 | IL | Iceland |
| 05 | S2 | Stockpile B |
| 07 | AT | Australia |
| 07 | NZ | New Zealand |
| 05 | CN | Canada |
| 06 | cu | Cuba |
| 0.6 | DR | Dominican Republic |
| 06 | GT | Guatemala |
| 06 | HA | Haiti |
| 06 | но | Honduras |
| 06 | PA_{\pm} | Paraguay |
| 06 | UY | Uraguay |
| 06 | EC | Ecuador |
| 06 | NU | Nicaragua |
| 06 | PN · | Panama |
| 05 | \$3 | Stockpile S.A. |
| 06 | МО | Morocco |
| 0.5 | МЗ | MAP-owned Materiel (MAPOM) |

| Requisitioners' report numbers | Code | Country |
|--------------------------------|------|------------------------------------|
| 06 | IV | Ivory Coast |
| 05 | УU | Upper Volta |
| 05 | NK | Niger |
| 05 | DA | Dahomey |
| 07 | NP | Nepal |
| 06 | SL | Sierra Leone |
| 06 | GV | Guinea |
| 06 | MA | Malagasy |
| 06 | TO | Togo |
| 05 | FI | Finland |
| 06 | CX | Congo (Leopoldville) |
| 05 | YE | Yemen |
| 05 | EI | Eire (Republic of Ireland) |
| 06 | NS | Surinam (Dutch Guinea) |
| 06 | BZ | British West Indies |
| 06 | TA | Tanganyika |
| 06 | AG | Algeria |
| 06 | JM | Jamaica |
| 05 | N5 | NATO Infrastructure |
| 0.5 | N6 | NATO Headquarters and Agencies |
| 05 | N-7 | NATO Weapons Production Program |
| 05 | И 8 | NATO Mutual Weapons Development |

b. Conversion table for oversea geographic area codes to requisitioners' report numbers.

| Requisitioners' report numbers | Oversea geographic area code | Geographic area |
|--------------------------------|---------------------------------|----------------------|
| 02-12 | Α | Arctic and Greenland |
| 02-12 | В | Canadian |
| 04-14 | C | Alaska |
| 03-13 | E | Mexican |
| 03-13 | F | Caribbean |
| 03-13 | G | South America-East |
| 03-13 | Н | South America-West |
| 02-12 | J | Antarctica |
| 02-12 | K | European |
| 02-12 | \mathbf{L}^{k} | Russian |
| 02-12 | M. | Near East |
| 03-13 | N | Africa-Sahara |
| 03-13 | P | West Africa |
| 03-13 | Q | East Africa |

AMCR 700-12

| Requisitioners' report numbers | Oversea geographic area code | Geographic area | |
|--------------------------------|------------------------------|-----------------|--|
| 03-13 | R | South Africa | |
| 04-14 | S | India | |
| 04-14 | T | Far East | |
| 04-14 | U | Indonesia | |
| 04-14 | V | Australia | |
| 04-14 | W | Philippines | |
| 04-14 | X | North Pacific | |
| 04-14 | Y | South Pacific | |

c. Requisitioners' report identification codes.

| Code | Explanation | | | | |
|------|------------------------------------|--|--|--|--|
| Øl | Total domestic Army. | | | | |
| Ø 2 | Total Army, Atlantic. | | | | |
| Ø 3 | Total Army, Caribbean. | | | | |
| Ø 4 | Total Army, Pacific | | | | |
| Ø6 | Total Army MSP, Caribbean. | | | | |
| Ø 7 | Total Army MSP, Pacific. | | | | |
| Ø 8 | Total Oversea Air Force direct. | | | | |
| Ø 9 | Total other service demands. | | | | |
| 10 | Project code YAM. | | | | |
| 11 | Project code 503, domestic Army. | | | | |
| 12 | Project code 503, Army, Atlantic. | | | | |
| 13 | Project code 503, Army, Caribbean. | | | | |
| 14 | Project code 503, Army, Pacific. | | | | |
| 15 | Project code YYV. | | | | |
| 16 | Project code YYW. | | | | |
| 17 | Project code YYX. | | | | |
| | *** | | | | |

26. Type of storage codes.

| Code | Nonhazardous | Hazardous |
|------|---|---|
| Α | Heated warehouse space (general purpose). | Heated warehouse space (general purpose). |
| В | Unheated warehouse space (general purpose). | Unheated warehouse space (general purpose). |
| С | Controlled humidity warehouse space. | Controlled humidity warehouse space. |
| D | Flammable warehouse space. | Flammable warehouse space. |
| E | Chill warehouse space. | Chill warehouse space. |
| F | Freeze warehouse space. | Freeze warehouse space. |
| G | Shed, nonwarehouse space. | Shed, nonwarehouse space. |
| Н | Igloo. | 40-foot igloo, arch-type. |
| I | Not applicable. | 60-foot igloo, arch-type. |
| J | Not applicable. | 80-foot igloo, arch-type. |
| K | Not applicable. | Igloo, stradley-type. |
| L | Not applicable. | 44-foot 7-inch igloo, dome-type. |
| М | Not applicable. | 52-foot igloo, dome-type. |
| N | Magazine. | Standard magazine. |
| 0 | Not applicable. | HE (high-explosive) magazine. |
| P | Not applicable. | Smokeless powder magazine. |
| Q | Not applicable. | Primer and fuze magazine. |
| R | Not applicable. | 8-foot 4-inch powder magazine. |
| S | Not applicable. | Any other magazine. |
| T | Controlled humidity nonwarehouse space. | Controlled humidity nonwarehouse space. |
| U · | Other nonwarehouse space. | Transitory shelter. |

| | · | |
|------|--|--|
| Code | Nonhazardous | Hazardous |
| V | Not applicable. | X-site, covered, non-revetted. |
| W | Not applicable. | Y-site, covered, revetted. |
| X | Bin storage, high popularity. | Not applicable. |
| Y | Bin storage, medium popularity. | Not applicable. |
| Z | Bin storage, low popularity. | Not applicable. |
| Ø. | Open, concrete, improved space. | Open, concrete, improved space. |
| 1 | Not applicable | Y-site, open, concrete, improved. |
| 2 | Open, blacktop, improved space. | Open, blacktop, improved space. |
| 3 | Not applicable. | Y-site, open, blacktop, improved. |
| 4 | Open, crushed stone, improved space. | Open, crushed stone, improved space. |
| 5 | Not applicable. | Y-site, open, crushed stone, improved. |
| 6 | Open, gravel, improved space. | Open, gravel, improved space. |
| 7 | Not applicable. | Y-site, open, gravel, improved. |
| 8 | Open, unimproved space. | Open, unimproved space. |
| 9 | Care and preservation space and maintenance shops. | Care and preservation space and maintenance shops. |